



SAFETY DATA SHEET

According to 1907/2006/EC, Article 31. Regulation on Safety Data Sheets for Harmful Substances and Mixtures (R.G. 13.12.2014-29204)



Substance/Mixture Name:	ART OIL LMG 12-110 GREASE	Preparation date:	08.03.2021
		New Edit Date:	12.06.2023
		Revision:	01
		Form No:	16102096

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND THE COMPANY/DISTRIBUTOR

1.1. Product Identifier

Product Name: ART OIL LMG 12-110 GREASE

1.2. Determined and Recommended Uses of The Substance or Mixture

Fields of Usage: ART OIL LMG 12-110 GREASE

Manufacturer Company Name: SENTEZ PETROKİMYA ART OIL

Company Address: INONU NEIGHBOURHOOD GEBZE PLASTIKCILER

OSB, 33. STREET NO: 1/1

Gebze /KOCAELI, TURKEY

Phone: 0 262 744 69 96

Fax: 0 262 744 47 99

SDS Authorized Person: info@sentezpetrokimya.com

1.3. Emergency Telephone Number

Emergency Phone: 0 262 744 69 96

National Poison Information Center: 114

2. HAZARDS IDENTIFICATION

2.1. Classification of The Substance or Mixture

Classified according to Regulation (EC) No 1272/2008. (RG: 11.12.2013, 28848 Repeated)

Physical hazards: May cause sensitization or allergic reactions in sensitive individuals.
Health hazards: The product contains a substance that is detrimental to aquatic organisms and may cause long-term adverse effects in the aquatic environment.
Environmental hazards: The product is not in the class of flashing substances but can ignite when exposed to flame sources at a temperature above its flash point.

2.2. Label Elements

According to (EC) No 1272/2008 regulation, the labeling has been done properly. (RG: 11.12.2013, 28848 Repeated)

The product is classified and labeled according to the CLP regulation.

Substance/Mixture Name:	ART OIL LMG 12- 110 GREASE	Preparation date:	08.03.2021
		New Edit Date:	12.06.2023
		Revision:	01
		Form No:	16102096



- **Hazard Pictograms:**

- **Signal Word: Danger**

- **Hazard Statements**

H315 Causes skin irritation.

H317 Cause allergic skin reactions.

H318 Causes critical eye damage.

H319 Causes critical eye irritation.

H332 Harmful if inhaled.

H335 May cause respiratory tract irritation.

H400 Highly toxic in the aquatic environment.

H411 Long-lasting, toxic effect in the aquatic environment.

H412 May cause long-lasting harmful effects in the aquatic environment.

Hazard-determining components for labeling: -

- **Precautionary Statements**

P332+P313 If skin irritation occurs: Get medical help/care.

P362+P364 Take off contaminated clothing and wash it before reuse.

P264 Wash your hands thoroughly after handling.

P280 Use safety gloves/safety clothing/eye protectors/face protectors.

- **Results of PBT and vPvB assessment: Inapplicable**



SAFETY DATA SHEET

According to 1907/2006/EC, Article 31. Regulation on Safety Data Sheets for Harmful Substances and Mixtures (R.G. 13.12.2014-29204)



www.artoil.com.tr

Substance/Mixture Name:	ART OIL LMG 12-110 GREASE	Preparation date:	08.03.2021
		New Edit Date:	12.06.2023
		Revision:	01
		Form No:	16102096

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Mixtures

Substance	EC No.	Cas No.	Concentration (%)	H Expressions
N-acyl sarcosine	203-749-3	110-25-8	< 0,6	Acute Tox. 4 – H332 Skin Irrit. 2 – H315 Eye Dmg. 1 – H318 Aquatic Acute 1 – H400 Aquatic Chronic 3 – H412
Lithium 12-Hydroxy Stearate	213-536-5	7620-77-1	>15	Skin Irrit. 2 – H315 Eye Irrit. 2 – H319 STOT-SE 3 – H335
Di-alkyl amino methyltolyltriazole	279-503-4	80584-90-3	0,001 - < 1 %	Skin Irrit. 2 – H315 Skin Sens. 1 – H317 Aquatic Chronic 2 – H411

Highly refined mineral oil contains <3% (m/m) DMSO extract, according to IP 346. Therefore, regarding 'Annex I entry in 21st ATP', Canc. 1B is exempt from H350.

*Expansion of H expressions is given in Section 16.

***The hazardous classes of these components are taken from the MSDS sent by the supplier company.

4. FIRST AID PRECAUTIONS

4.1. Description of First Aid Precautions

Eyes	Wash off immediately with plenty of water. If you have contact lenses, remove them. Keep washing. If irritation continues, seek medical help.
Skin	Immediately remove contaminated clothing and wash it with plenty of water and soap.
Swallowing	Do not induce vomiting. Do not force vomiting unless under the management of health personnel. Seek medical help if symptoms are severe or persistent.
Respiration	Take the person to fresh air and allow them to breathe at ease.

4.2. Most important symptoms and effects, immediate and delayed

There are no known special health hazards. No other valuable information is available.

4.3. First indications of medical attention and special treatment needed

No other valuable information is available.



SAFETY DATA SHEET

According to 1907/2006/EC, Article 31. Regulation on Safety Data Sheets for Harmful Substances and Mixtures (R.G. 13.12.2014-29204)



Substance/Mixture Name:	ART OIL LMG 12-110 GREASE	Preparation date:	08.03.2021
		New Edit Date:	12.06.2023
		Revision:	01
		Form No:	16102096

5.1. Fire-Extinguishers

Water spray, foam, dry powder, or carbon dioxide. Do not use the water jet as an extinguisher, which can cause the fire to spread.

5.2. Special Hazards Arising from the Substance or Mixture

Specific danger: Unknown

Hazardous combustion products: Carbon dioxide (CO₂). Carbon monoxide (CO). Sulfurous gases (SO_x). Mercaptans. Zinc oxide fumes. Hydrogen sulfide (H₂S).

5.3. Advice for Firefighters

Protective equipment: Use tubular respiratory apparatus to prevent eye and skin contact in case of fire.

6. ACCIDENTAL RELEASE PRECAUTIONS

6.1. Personal Precautions, Protective Equipment, and Emergency Procedures

Use the personal protective devices specified in Section 8.

6.2. Environmental Precautions

Keep away from the above-ground and groundwater.

6.3. Methods and Materials for Containment and Cleaning

- **Cleaning Methods - low spillage:** Soak to sand or soil. Sweep and release to a suitable, clearly visible container for disposal following local regulations.
- **Cleaning Methods - heavy spillage:** Prevent material from spreading by making a barrier with sand, soil, or other material. It is cleaned directly or with an absorbent liquid. Dispose of as with small spills.

7. HANDLING AND STORAGE

7.1. Precautions for Safe Handling

Avoid breathing steam spray/mist. Do not handle on skin, eyes, or clothing. Do not eat, drink, or smoke while using this product. All handling should only take place in well-ventilated areas. Take precautions against static discharge. For personal protection, see Section 8.

7.2. Conditions for Safe Storage, Including any Incompatibilities

Store in tightly closed, original containers in a dry, cool, and well-ventilated place. Keep it upright. Keep away from food, drink, and animal feed.

Substance/Mixture Name:	ART OIL LMG 12-110 GREASE	Preparation date:	08.03.2021
		New Edit Date:	12.06.2023
		Revision:	01
		Form No:	16102096

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control Parameters




Mixtures do not have TWA and STEL values.

8.2. Exposure Controls

8.2.1. Appropriate Engineering Controls

Keep the substance concentration in the environment below the permissible limits by providing proper general or local ventilation.

8.2.2. Personal Protective Equipment

Eyes	Under normal conditions, eye protection equipment is not required. Where splash hazard is likely, wear safety glasses with side windows for safe operation.	
Clothes	Use suitable protective clothing to prevent skin contact. Protective clothing to be selected according to the procedures to be performed includes gloves, aprons, boots, and all-face protective materials. Recommended materials for protective gloves are Nitrile Rubber, Silver Guard, and Viton.	
Respiration	Under normal conditions, respiratory protection is not required. If user operations produce oil mist, determine whether airborne concentrations are below the occupational exposure limit for H ₂ S. If not, wear an approved respirator that provides adequate protection against measured concentrations of this substance. In air-purifying respirators, use a particle cartridge.	

Substance/Mixture Name:	ART OIL LMG 12- 110 GREASE	Preparation date:	08.03.2021
		New Edit Date:	12.06.2023
		Revision:	01
		Form No:	16102096

9. PHYSICAL AND CHEMICAL PROPERTIES**9.1. Information Physical and Chemical Properties**

SMELL	-	SPECIFIC TO SUBSTANCE
APPEARANCE	-	SOLID
COLOR	-	GRAY - BLACK
PENETRATION 25°C, PROCESSED	ASTM D 217	265-295
SOAP TYPE	-	LITHIUM

10. STABILITY AND REACTIVITY**10.1. Reaction**

There are no known reactivity hazards associated with this product.

10.2. Chemical Stability

It is stable under normal conditions.

10.3. Possibility of Hazardous Reactions

Hazardous reactions are unknown.

10.4. Conditions to Avoid

Avoid exposure to elevated temperatures and direct sunlight.

10.5. Substances to be Avoided

There is no other available valuable information.

10.6. Harmful Decomposition Products

It is usable and does not decompose when stored as recommended.



SAFETY DATA SHEET

According to 1907/2006/EC, Article 31. Regulation on Safety Data Sheets for Harmful Substances and Mixtures (R.G. 13.12.2014-29204)



Substance/Mixture Name:	ART OIL LMG 12-110 GREASE	Preparation date:	08.03.2021
		New Edit Date:	12.06.2023
		Revision:	01
		Form No:	16102096

11. TOXICOLOGICAL INFORMATION

11.1. Information on Toxic Effects

There are no known specific health hazards. Unclassified.

12. ECOLOGICAL INFORMATION

12.1. Toxicity

The product is not expected to be hazardous to the environment. Based on available data, the classification criteria are not met.

12.2. Persistence and Degradability

There is no data.

12.3. Bioaccumulation Potential

There is no data for bioaccumulation.

12.4. Mobility in Soil

There is no data.

12.5. Results of PBT and vPvB Assessment

PBT: Not applicable.

PvB: Not applicable.

12.6. Other Adverse Effects

There is no other available valuable information.

13. DISPOSAL INFORMATION

13.1. Waste Treatment Methods

In accordance with local Waste Disposal Agency requirements, Dispose waste to licensed waste disposal facility. Care should be taken when using empty containers. It must be thoroughly cleaned or rinsed. Do not reuse empty containers.

The product is not covered by international regulations regarding the transportation of dangerous goods (IMDG, IATA, ADR / RID).

14. TRANSPORT INFORMATION

14.1	UN number	-
14.2	UN proper shipping name	-
14.3	Transport hazard class(es)	-
14.4	Packing group	-
14.5	Environmental hazards	-
14.6	Special precautions for the user	-
14.7	Annex II of MARPOL 73/78 and public transport by code in IBC	-

Substance/Mixture Name:	ART OIL LMG 12-110 GREASE	Preparation date:	08.03.2021
		New Edit Date:	12.06.2023
		Revision:	01
		Form No:	16102096

15. REGULATORY INFORMATION

15.1. Specific Safety, Health, and Environmental Regulations for the Substance or Mixture

- Labeling has been done following regulation (EC) No 1272/2008: The product is classified and labeled according to the CLP regulation.
- Directive 2012/18 / EU: Named hazardous substances - substances in Annex I are listed.
- National regulations: The product will be labeled following the current version of the arrangements on hazardous substances.

16. OTHER INFORMATION

16.1. Abbreviations Used

Abbreviations	Expression
CAS	Chemical Abstracts Service
EC (EINECS)	European Inventory of Existing Commercial Chemical Substances
PBT	Persistent, Bioaccumulate, and Toxic
vPvB	very Persistent and very Bioaccumulate
Acute Tox. 4	Acute toxicity Category 4
Skin Irrit. 2	Skin irritation Category 2
Eye Dmg. 1	Critical eye damage 1
Aquatic Acute 1	Aquatic acute Category 1
Aquatic Chronic 3	Hazardous to the aquatic environment Category 1
Eye Irrit. 2	Eye irritation Category 2
STOT-SE 3	Specific target organ toxicity - Single exposure Category 3
Skin Sens. 1	Skin sensitivity Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment Category 2

16.2. Classification Methods: -

Substance/Mixture Name:	ART OIL LMG 12-110 GREASE	Preparation date:	08.03.2021
		New Edit Date:	12.06.2023
		Revision:	01
		Form No:	16102096

16.3. Relevant hazard statements, explanations of precautionary statements

H Expressions	
H315	Causes skin irritation.
H317	Cause allergic skin reactions.
H318	Causes critical eye damage.
H319	Causes critical eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory tract irritation.
H400	Highly toxic in the aquatic environment.
H411	Long-lasting, toxic effect in the aquatic environment.
H412	May cause long-lasting harmful effects in the aquatic environment.

P Expressions	
P264	Wash your hands thoroughly after handling.
P280	Use safety gloves/safety clothing/eye protectors/face protectors.

Contact information of the SDS preparer: Burcu YILDIRIM / +09 (0262) 744 69 96
Address: INONU NEIGHBOURHOOD GEBZE PLASTIKCILER OSB, 33. STREET NO: 1/1
Gebze /KOCAELI, TURKEY
DOCUMENT NO: TSE SDS-A-0-2919

The health and safety information provided in this document is believed to be correct up to the date of preparation. The information obtained from outside of Sentez Petrokimya and contained in this document has been examined. However, there is no guarantee of the perfection or accuracy of the information contained in this document. Health and safety precautions contained in this document may not be sufficient for all individuals/situations. The user is responsible for evaluating the material, using it safely, and complying with the applicable laws and rules. The expressions used in this document shall not be construed as any permission, recommendation, or license for the practice and work performed without a valid license. Sentez Petrokimya Art Oil will not be held responsible for any damage or injury that may arise from abnormal use of the material, failure to follow the recommendations, or the hazards inherent in the material. The items in the product safety data sheet have been published in line with the information we currently have, and it is aimed to define the products in terms of health and safety environmental conditions. Sentez Petrokimya Art Oil does not directly or indirectly represent or warrant that the data in this information form are correct or complete. Therefore, it should not be considered as information that guarantees any specific feature of the products. Data and recommendations are valid for the application or applications specified in this product when sold. This product should not be used for any purpose other than the specified application or applications without consulting Sentez Petrokimya Art Oil. All rights of the document are reserved. It cannot be replaced by another company.